FESTOOL



Pair a Festool Power Tool with a Dust Extractor & SAVE \$100*











85MM DEPTH OF CUT





160mm Corded Circular Saw ✓ Cutting depth: 55mm

- ✓ Cutting depth at 45°: 42mm
- ✓ Speed: 2000 5200rpm
- ✓ Rated input: 1200W
- ✓ Saw blade ø: 160mm
- ✓ Weight: 4.4kg





230mm Corded Circular Saw

- Cutting depth: 85mm
- Cutting depth at 45°: 62mm
- Speed: 1500 3300rpm
- Rated input: 2300W
- Saw blade: 230mm
- Weight: 7kg





Attach the FSK cross-cutting guide rail to the HK Saws in seconds for fast, precise angle cuts.



Lightweight and built for construction - Ideal Versatile solution - switch from cutting full for cutting roof battens, framing, paneling, shelving, ripping and trimming.



sheets to plunge cuts for sink cut outs or vents in seconds.



When sawing with a Guide Rail the cutting edge follows the scribe mark edge exactly for precise results even when mitre cutting.



The versatile HK 85 can be transformed from circular saw to groove cutter with an optional groove cutting accessory.



HK 85 is ideal for trimming and cutting of solid beams, frames, form-work that require a large cutting depth - up to 85mm.

Pair a Festool Power Tool with a Dust Extractor & SAVE \$100*



Corded 160mm Circular Saw | HK 55 | 561732

- W 18 Saw Blade
- SYS 4 T-Loc Systainer

\$599



Corded 160mm Circular Saw | HK 55 with FS Guide Rail | 574674

- W 18 Saw Blade
- FS 1400/2 Guide Rail
- SYS 4 T-Loc Systainer

\$709





Corded 160mm Circular Saw HK 55 with FSK Guide Rail | 574679

- W 18 Saw Blade
- FSK 420 Cross Cutting Guide Rail
- SYS 4 T-Loc Systainer

\$814

Pair a Festool Power Tool with a Dust Extractor & SAVE \$100*



Corded 230mm Circular Saw | **HK 85** | 767695

- W 24 Standard Saw Blade
- Parallel Side Fence
- SYS 5 T-Loc Systainer

\$999



Corded 230mm Circular Saw HK 85 with FS Guide Rail | 574662

- W 24 Standard Saw Blade
- Parallel Side Fence
- FS 1400/2 Guide Rail
- SYS 5 T-Loc Systainer

\$1,109



Corded 230mm Circular Saw HK 85 with FSK Guide Rail | 574666

- W 24 Standard Saw Blade
- Parallel Side Fence
- FSK 420 Cross Cutting Guide Rail
- SYS 5 T-Loc Systainer

\$1,214

LEAVE YOUR COMPETITION IN THE DUST WITH THE TRUSTED TS PLUNGE SAW







30-Day Money Back

If you are not completely satisfied with your tool, you can return the tool for a full refund within 30 days from purchase time. Your tool must be registered for Serivce All Inclusive. www.festool.com.au/sai

10% OFF FS GUIDE RAILS



Job site with no power? No problem with the Cordless TSC 55 - with double battery capacity up to 36V.



Switch blades in seconds to cut a wide range of materials from cement sheet to blueboard, plasterboard, particleboard, aluminium, MDF, flooring and more!



Use with a guide rail for dead straight cuts. Scribe a line, align the guide rail and cut. Models available in a 55mm or 75mm depth



The splinterguard guarantees cuts free of tear-outs on both sides.



Easy to read and set: the dual cutting depth scale for work with and without the guide rail ensures precision every time.



Convert it to a bench saw in seconds with the compact module system - unique versatile system solutions.

Pair a Festool Power Tool with a Dust Extractor & SAVE \$100*



Corded 160mm Plunge Cut Saw | TS 55 | 561555

- Power: 1,200 W
- Cutting Depth: 0-55mm
- Splinterguard
- Fine Tooth Saw Blade W48
- SYS 4 T-Loc Systainer

\$939



Corded 160mm Plunge Cut Saw | TS 55 with FS Guide Rail | 561655

- Power: 1,200 W
- Cutting Depth: 0-55mm
- Splinterguard
- Fine Tooth Saw Blade W48
- FS 1400/2 Guide Rail
- SYS 4 T-Loc Systainer

\$1,049



Corded 210mm Plunge Cut Saw | TS 75 | 561440

- Power: 1,600 W
- Cutting Depth: 0-75mm
- Splinterguard • Universale Saw Blade W36
- SYS 4 T-Loc Systainer

\$1,355

Pair a Festool Power Tool with a Dust Extractor & SAVE \$100*



Corded 210mm Plunge Cut Saw | TS 75 with FS Guide Rail | 561512

- Power: 1,600 W
- Cutting Depth: 0-75mm
- Splinterguard
- Universale Saw Blade W36
- FS 1400/2 Guide Rail
- SYS 4 T-Loc Systainer

\$1,465



Cordless 160mm Plunge Cut Saw | TSC 55 | 561737

- Power up to 36V
- Cutting Depth: 0-55mm
- Fine Tooth Saw Blade W48
- SYS 5 T-Loc Systainer

\$849



Cordless 160mm Plunge Cut Saw | TSC

55 with FS Guide Rail | 201577

- Power up to 36V
- Cutting Depth: 0-55mm
- Fine Tooth Saw Blade W48
- FS 1400/2 Guide Rail
- 2 x 5.2Ah Batteries
- TCL 3 Charger

• SYS 5 T-Loc Systainer

\$1,275



PERFECTLY STRAIGHT RESULTS - THE GUIDE RAIL SYSTEM





Cordless Circular Cut Saw

Circular Cut Saw

Cordless Plunge Cut Saw

Plunge Cut Saws

Plunge Routers

Jigsaws

Aluminium Composite Milling Machine

Diamond Cutting Grinder

Compatible with 17 Festool tools, the Festool guide rail is designed to make your

work easier by providing perfectly straight cuts on a wide range of applications.



FESTOOL

Made in Wendlingen

10% OFF FS GUIDE RAILS

For splinter-free cuts simply lay the guide rail on the workpiece, align it to your cut-line, guide the tool effortlessly across the rail.

10% OFF FS GUIDE RAILS

The right guide rail length for every application is ensured by offering eight different lengths (800mm - 5m), and special connectors allow you to mix and match sizes.

MODEL	PRODUCT #	Special RRP
FS 800/2	491499	\$121.50
FS 1080/2	491504	\$157.50
FS 1400/2	491498	\$189.00
FS 1900/2	491503	\$359.10
FS 2400/2	491502	\$521.10
FS 2700/2	491937	\$553.50
FS 3000/2	491501	\$629.10
FS 5000/2	491500	\$922.50

Guide Rail Accessories



Guide Rail Accessory Starter Set | 497657

- 1 x Angle Unit
- 1 x Limit Stop
- 1 x Replacement Splinterguard (1400 mm)
- 1 x Hose and Cord Deflector
- 2 x Guide Rail Connectors
- 2 x Fastening Clamps FSZ 120 • 1 x SYS 1 T-Loc Systainer
- \$275



FS Mobility Set | F28811

- 1 x FS 1400/2 Guide Rail
- 2 x Rail Guide Connectors
- 1 x FS Guide Rail Bag
- \$249






Fastening Clamp FSZ 120/2 489570 | SPECIAL \$59



|SPECIAL \$79



Gecko Suction Clamp | 493507 | SPECIAL \$129




FS Guide Rail Connector | 482107 \$34 each (1pc)



THE SOUND OF FESTOOL





Specifications

Kapex 120

- ✓ Blade Diameter: 260mm
- ✓ Cutting Capacity at 90/90: 305x88mm
- ✓ Special Cutting Capacity: 20 x 120mm
- ✓ Weight: 21.5kg


Mobile work stand

- ✓ Two Folding Extensions
- ✓ Weight: 10.1kg
- ✓ Measurement Scale
- ✓ Adjustable Legs
- ✓ Expands from 1480mm to 2400mm



Specifications

- ✓ Frequency range FM (VHF): 87.5-
- ✓ Battery-interface (Festool sliding) batteries): 10.8 - 18V
- ✓ Speaker: 10 watt neodymium speakers for room-filling sound with digital sound processor that automatically adjusts bass
- ✓ Amount of station memory: 4
- ✓ Bluetooth compatible for streaming own music or hands free phone use.



✓ Weight (without battery): 0.7kg





up to 120mm in height.



12" capacity in a 10" saw - cut skirting boards Weighing only 21.5kg, the KAPEX is quick and easy to set up, pack up and transport particularly when connected to the mobile work stand.



Dual line laser of the Kapex marks the exact width of the cut so the workpiece can be positioned from the left or right.



Bluetooth interface and built-in speakerphone can listen to music from your smartphone and radio stations.



Durable and sturdy plastic housing, the splash-resistant 2.5 inch speakers and the flexible antenna ensure that SYSROCK is built for the worksite.



To make sure nothing gets in the way of your music enjoyment, SYSROCK combines excellent sound quality with a compact lightweight design.

Pair a Festool Power Tool with a Dust Extractor & SAVE \$100*



260mm Sliding Compound Mitre Saw Kapex 120 | 561288

- Universal Saw Blade W60
- Smart Bevel
- Workpiece Clamp

\$1,895



\$2,795



Illuminated LCD screen, easy-to-use controls and extra large buttons, that can be pressed even with gloves. The SYSROCK can be powered either from the mains or by battery.



operation!

Modern design, perfect sound,

SYSROCK | BR 10 | 200186

- Power Cable
- AUX Cable
- Carry Bag

\$249

* Limited quantity on first release

MORE THAN A WORKBENCH

FESTOOL



Specifications

CS 50

- ✓ Power Consumption: 1200 W
- ✓ Saw Blade ø: 190mm
- ✓ Cutting Height: 45° /90° : 0-37 /
- U-52mm
- ✓ Table Dimensions: 585x400mm

CS 70

- ✓ Power Consumption: 2200 W
- ✓ Saw Blade ø: 225mm
- ✓ Cutting Height: 45 /90 : 0-48 / 0-70mm
- ✓ Table Dimensions: 690x500mm





Get set up for the future and invest in quality systems for years of reliable results with the Festool apprentice program.

See website or your local dealer for details:

www.festool.com.au/apprentice





A range of system accessories allow you to upgrade to a complete sawing station with minimal effort. Even cross cutting sections up to 803 mm on both the floor and set version.



With an impressive cutting path for rip cuts and cross cuts you also have the ability to cut at 45° .



Strong but lightweight - the honeycomb design of the PRECISIO makes the aluminium-steel base frame both stable and easy to carry.



When sanding, planing, joining or routing with templates, it is important that the workpieces is held firmly on the table.



The guide rail adapter with hinge attaches the rail to the MFT table and slides effortlessly to produce perfectly straight cuts.



The V-groove around the outer edge of the MFT allows for the connection of the CMS system, as well as collection of available, sliding tables, mitre guides and stops.

Pair a Festool Power Tool with a Dust Extractor & SAVE \$100*



190mm Table Saw CS 50 Precisio | **CS 50 EB** | 561195

- Universal Saw Blade W32
- Mitre Guide
- 3 x Splinterguards
- Dust Extraction Hose Set with Y-piece
- Push Stick

\$2,182.50

Set model also available 190mm Table Saw CS 50 Precisio Set | 561203 | \$3,262.50 SAVE \$362.50

Set includes sliding table, extension table and rip fence



225mm Table Saw CS 70 Precisio | **CS 70 EB** | 561212

SYSTEM

- Universal Saw Blade W32
- Mitre Guide
- 3 x Splinterguards
- Dust Extraction Hose Set with Y-piece
- Push Stick

\$2,938.50

Set model also available 225mm Table Saw CS 70 Precisio Set | 561146 | \$4,225.50 SAVE \$469.50

Set includes sliding table, extension table and rip fence



MFT 3 Large Multi Function Workbench & CMS workbench with foldaway legs | 290315

- Table with Perforated Top
- Foldaway Legs
- Hinged Rail Adapter
- Rail Support Adapter
- Mitre Guide
- Adjustable Stop
- 1080 mm guide rail FS 1080/2
- FS-AW Deflector
- Fence Support Clamp
- CMS Workbench foldaway legs for MFT 3 Table

\$1,950

MFT 3 Multifunction Table | 495315 | \$1,299

flexibility when clamping and securing workpieces. This set provides you with a wide range of possible applications and enables you to process all workpieces in the best possible way.

Save time and provide



• 2 x Fs-HZ 160 Lever Clamp

2 x MFT-SP Fixed Clamp4 x Locking Handle

• 4 x Small Stop

• 2 x Low-Profile Stop

• 1 x SYS 1 T-Loc Systainer

\$349

Faster. Easier. Better. www.festool.com.au

PRECISION AROUND EVERY CURVE

THE PROFESSIONAL FOR ALUMINIUM COMPOSITE

Carvex Jigsaw Accessory Systainer Set

- 5 x splinterguards
- Dimpled baseplate
- Hard fibre baseplate
- Baseplate for metalic materials
- Adjustable angle bevel base
- Base adapter
- Circle cutting attachment
- Stickfix felt
- SYS 2 T-Loc Systainer











FastFix blade change system makes switching between cutting different materials quick, easy and tool-free



Festool offers a complete system solution that will take the result right to the edge in a range of aluminium composite materials like Alucobond or Alupanel.



The feeler roller allows you to adjust the routing depth to suit the material thickness you are working with.

PF 1200 Now with Cover for repair costs

wearing parts included

On top of the Service-All Inclusive Package that comes as standard with all Festool Tools, is a **NEW** cost protection guarantee for 36 months - exclusive to the PF 1200

What is cost protection?

A 36-month complete service cover with all servicing and repairs free of charge, including material and manufacturing defects as well as wearing parts.

So you can be sure you won't receive any unwanted invoices for

*Conditions apply see www.festool.com.au/sai



When paired with the Festool dustextraction and 36mm hose, faultless v-grooves are produced to professional standards without a trace of any ch

Pair a Festool Power Tool with a Dust Extractor & SAVE \$100*



effortless with the triple blade guide and

adjustable carbide jaws securing the blade

Trion Jigsaw

- 2 Saw Blades
- Splinterguard
- SYS 1 T-Loc Systainer

\$550 each



* Strictly while stock lasts




Carvex Jigsaw

- 2 Saw Blades
- Splinterguard
- SYS 1 T-Loc Systainer

PSB 420 | 561612

\$665 each





Aluminium Composite Machine | PF 1200

- 1 x PF 1200 Composite Machine inc SYS
- 1 x FS 1400/2 Guide Rails

\$3,950





Aluminium Composite Machine Set | PF 1200 Set | F28809

- 1 x PF 1200 Composite Machine inc SYS 4
- 1 x FS 1400/2 Guide Rail

\$4,995

- 1 x CT 36 Dust Extractor inc 27mm hose
- 1 x 36mm x 3.5mm Anti-Static Suction Hose
- 1 x 120mm Pair Fastening Clamps FSZ 120



Aluminium Composite Machine | PF 1200 Ultimate Set | F28810

- 1 x PF 1200 Composite Machine inc SYS 4 T-Loc
- 2 x FS 1400/2 Guide Rail
- 1 x CT 36L Dust Extractor inc 27mm hose
- 1 x 36mm x 3.5m Anti-Static Suction Hose
- 1 x 120mm Pair Fastening Clamps FSZ 120
- 2 x Guide Rail Connectors
- 1 x TS 55 Plunge Cut Saw inc SYS 4 T-Loc

\$5,995

DOMINO JOINING SYSTEM

A NEW WAY OF CONNECTING

FESTOOL

Connectors

Produce perfect timber

connections quicker and easier than ever before - with the ability

to disassemble if needed. The NEW corner and flat connectors for the

Domino XL DF 700 joining machine

provide frame, rack and board connections that will impress

you with extreme precision and

stability as well as maximum

flexibility.

For videos see www.festool.com.au

Maximum mobility for clean work



CTL SYS is extremely small (270mm high x 396mm long), lightweight (6.9kg) and compact in a systainer format.




Compatible in a T-Loc Systainer for optimum workplace organisation.



4.5 Litre Dust Extractor CTL SYS 584177

- 4.5L Capacity
- T-Loc Compatibility
- 3m Hose
- Carry Strap
- 5m Power Cable
- Upholstery Nozzle & Crevice Nozzle

\$599







A clever and unique portable mortise and tenon machine that lets you join anything from narrow workpieces to large panels.



The corner and flat connector system enables stable connections that can be separated again at a material thickness of 30mm or higher in a 14mm connection.



Ideal for furniture designed to be dismantled such as a beds, tables or for large area connections in solid timber or kitchen bench tops.



Not only extremely quick and stable, but also has a high quality appearance: the only visible part is the cover cap, which is clipped over the oval holes neatly.

Pair a Festool Power Tool with a Dust Corner Connector Extractor & SAVE \$100*



Panels, boards, frames, stairs, decking and

even mitres - solid joins can be achieved

Domino Joining Machine | DF 500 | 574328

- DOMINO Cutter D5
- Support Bracket
- SYS 2 T-Loc Systainer

quickly and easily.



Domino Joining Machine | DF 700 XL | 574423

- DOMINO Cutter D12
- Support Bracket
- 1 x DOMINO Box (empty box)
- SYS 5 T-Loc Systainer

Compatible with NEW Connectors.

See page 15







Corner Connector Set | EV 32 Set | 201827

- 32 anchor bolts
- 32 cross anchors
- 32 split anchors

\$175 All components available individually

Flat Connector





Flat Connector Set | FV 16 Set |

- 16 Double-headed bolts
- 32 Cross anchors
- Widener for 32 cross anchors

\$130 All components available individually



Domino Beach | D14x75/104 BU | 201499

- Ideal in combination with the DOMINO corner connectors to help bear the load
- Includes 104 pieces

\$65





Cover Caps

- Available in silver, dark brown and light brown
- Includes 32 pieces

From \$11

MOBILE DUST SOLUTIONS





Rotex = 3 in 1 Sander



The Rotex is designed for coarse sanding, fine sanding and polishing all in one



ETS EC Sander



The brushless ETS EC is designed for continuous sanding all day with innovative vibration dampening for mproved feel.



With a carefully designed selfclean filter bag and space saving filter, space for dust collection is maximised.



The unique built in hose garage keeps hose and cable neatly organised for easy transport.



Attach Systainers to the top of the extractor for quick and easy transport of tools with the in-built Systainer docking system.



HEPA filters and anti-static hose technology help you work cleaner - protecting your health and preventing dust clogging or accumulating on the exterior of the hose

Pair a Festool Power Tool with a Dust Extractor & SAVE \$100*



\$999



Pair a Festool Power Tool with a Dust Extractor & SAVE \$100*



26 Litre Dust Extractor CT 26 | 583494

- 26L Capacity
- HEPA Filter
- Cleaning Set • 3.5m Antistatic Hose
- Self-Clean Filter Bag

\$1,219



36 Litre Dust Extractor CT 36 | 583495

- 36L CapacityHEPA Filter
- Cleaning Set
- 3.5m Antistatic Hose
- Self-Clean Filter Bag

\$1,319



36L Heavy Duty Concrete Specialist Auto Clean Dust Extractor | CTL 36 HD | 584169

• 36L Capacity

• Self-Clean Filter Bag

• Waste Bag

\$1,500

- 3.5m x 36mm Ø Antistatic Hose
- Handle included Auto-Clean Function
 - Cleaning Set

• 48L Capacity

HEPA Filter

201626

- 3.5m Antistatic Hose
- Self-Clean Filter Bag

\$1,765 * The system saying is stirctly available on the featured dust extractor models, when paired with a Festool power tool that is compatible with dust extraction (excludes

48 Litre Dust Extractor | CT 48

MESS-FREE MIXING

FESTOOL



PLANEX Sander Set | 273476

- 25 Brilliant Abrasives Discs ø 225mm P220
- CT 36 E AC Dust Extractor with PLANEX Tool Holder
- 36L Capacity
- Main Filter
- Self-cleaning Filter Bag
- Disposal Bag • Anti-Static Suction Hose
- 36mm x 3.5m Anti-Kink
- SYS MAXI Systainer

\$2,795





Consistent sanding results even right up to the edge with detachable brush segment.



Optimised to meet the requirements of the Planex, the Cleantec AC dust extractor automatically cleans the filter system to prevent clogging from fine plaster dust.



Convert your Planex from short reach to a long reach sander in just a few hand movements with the quick release connector.



Comprehensive

Warranty

30-Day Money Back



Every Festool power tool comes bundled with an industry leading

register your tool purhcase at www.festool.com.au/sai

package of services to support you. They can only be unlocked when you

Rapid Repair Service



10-Year Parts **Availability**





Tough material to mix? The combination of power, speed and a robust design make the MX range the most practical solution for day

ErgoFix height adjustment system. to day mixing applications

1020W Stirrer | MX 1000

Max Stirring ø: 120mm

Stirring Rod + BONUS Stirring

• ErgoFix Adapter

• HS3 120 x 600

\$495

Left | 574790 **Right** | 574791



hand movement to suit your height with the



125mm Diamond Cutting System / DSC **125mm** | 768923

material while removing hazardous

dust quickly and effectively when you

- All Purpose Premium Diamond Disc
- SYS 4 T-Loc Systainer

\$555



Left | 574792 **Right** | 574793

• Max Stirring ø: 140mm

1200W Stirrer MX 1200/2 |

- ErgoFix Adapter
- HS3 140 x 600 Stirring Rod + BONUS Stirring Rod

\$665

MX 1600 2 Duo Stirrer | MX 1600/2 | 769237

- HS 3 Double Stirrer
- No adjustable height

\$1,220





POWERSELECT

Customise your kit for what you need.













Choose any Power Select skin(s) + add batteries if needed + add a charger if needed = customised kit in systainer!



160mm Plunge Saw | TSC 55 561737

SYS 5 T-Loc Systainer



160mm Circular Saw | HKC 55

1564636

SYS 4 T-Loc Systainer

\$559



D - Handle Jigsaw | PSBC 420 1561739

SYS 2 T-Loc Systainer



Barrel Grip Jigsaw | PSC 420 561738

SYS 2 T-Loc Systainer



Rotary Hammer | BHC 18 | 564606

• SYS 2 T-Loc Systainer

\$509





Hammer Drill | PDC 18 | 500781

• SYS 2 T-Loc Systainer

\$449



Drill/Driver | DRC 18 | 500782

• SYS 2 T-Loc Systainer

\$439



Drill/Driver | C 18 | 564609

SYS 2 T-Loc Systainer

\$399



Drill / Driver | T 18 | 564605

• SYS 2 T-Loc Systainer

\$399



36-Month Comprehensive Warranty

Applies to all components of the POWER SELECT system including batteries and chargers

festool.com.au







@festool_australia

Dandenong South VIC 3164 Phone: 1300 063 900

Fmail: customercare@tooltechnic.com.au

